






Street painting machine MaquiyTec A 800



Alicante, 05.01.2018





New Street painting machine A 800

Offer number: A-180105-2018-01

Brand: Maquiytec Model: A 800 Capacity: 2 x 400 kg

Year of construction: 2018 - new machine

Technical data:

Marking Method: Thermoplastic screeding

Material Container Volume: 500 l

Air Compressor Delivery Rate: 0,45 m³/min

Heating Method: Energy efficient burner (LPG infrared burner or fuel)

 Heat Preservation Method: Heat preservation cotton or heat transfer oil with heat preservation cotton

• Temperature Control Method: Auto temperature control

 Marking Line Width: 50/100/150/200/250/300 mm (optional single equips of screeding device - 150, 200, or 250 mm, or convex marking device)

Overall Dimension: 6000 mm (L) x 2200 mm (W) x 2200 mm (H)

Chassis Specification

Engine Power: 74 kW tour cylinders water-cooled diesel engine

Drive Unit: Hydraulic drive infinitely variable
Driving Direction & Speed: Forward or backward 0-22 km/h

Glass Bead Container: 150 IWeight: 5 t

Main Technical Specifications

• Tank: Double Tanks

• Size (L x W x H): 1900 x 1550 x 1750 mm

Net Weight: 840 kgTank Capacity: 400 kg each

Hydraulic Oil Reservoir: 70 l

Material Temperature: 180° C -220° C

Hydraulic Motor Model: BM

Rotational System: 20 -100 r/min

Hydraulic System Press: 5 MpaWorking Pressure: 4-5 Mpa

Diesel Engine: 15 P Electric-started water cooling engine

Bottom: Boiler plate

- Bottom thickness: 6 mm
- Safety Device: Specialty designed overload overflow device. avoid the wrong operation
- Heating System: Liquefied petroleum gas (natural gas), adopt energy-efficient burner (Direct injection Stove)

Status:

The machines are new and from recent production Never used.

Photos:



Additional pre-heater station for painting material

For more detailed photos with higher resolution see our web site www.maquiytec.com/ph/spm-a-800.htm